## High-Potential Working Fluids for Next-Generation Binary ORC for EGS Supercritical ORC

Kevin Myers GE Global Research





This material is based upon work supported by the Department of Energy's Geothermal Technologies Program under Award Number DE-EE0002769.

### Disclaimer

"This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, makes any warranty express or imply, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe on privately owned rights. Reference herein to any specific commercial product, process or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof."




### Overview


Find optimized working fluid/advanced cycle combination for EGS applications


Tradeoff between well cost & power conversion unit cost


### 3 Phases:

- 1. Technical analysis
- 2. Techno-economic analysis
- 3. Build Pilot ORC











## Fluid Screening

### Screening criteria:

- T<sub>melt</sub> < ambient temperature
- T<sub>critical</sub> > ambient temperature
- T<sub>boil</sub> < 350 °C</li>
- Global Warming Potential < 150</li>
- Low to no Ozone Depletion Potential
- Low toxicity

### Ranking criteria:


- High density
- High thermal conductivity
- High molecular weight
- Number of atoms per molecule

17,000+ available  $\rightarrow$  35 high-potential




## Supercritical ORC






Temperature & Pressure above critical point




## **Cycle Optimization**

### Optimization variables:

- Brine out temperature
- Working fluid
  - Pressure into expander
  - Temperature into expander
  - Condensation pressure





Higher pressure **and** optimal temperature yields higher net power



# Supercritical Cycle: Benefits and Challenges

### **Benefits:**


- Better match between resource cooling curve & working fluid heating curve
- Use existing expander technology
- Single primary heat exchanger

### **Challenges:**

- High pressures required
- High pressure ratio in expander
- Supercritical heat transfer
- Uncertainty of properties in supercritical region

## Net Power vs. Resource Temperature


No single best fluid for all resource temperatures



Supercritical Cycle

**Resource Temperature** 


Best supercritical cycle beat best trilateral and subcritical cycle at given resource temperature






## Comparison with Baseline Cycles






### Subcritical R245fa




Subcritical n-Pentane

Resource Temperature



#### Subcritical Isobutane





0

Outperform current standard cycles & fluids

## Summary

- Down-selected 35 high-potential fluids (from 17,000+)
- Compared performance of high potential working fluid / advanced cycle combinations
  - No single best fluid for all resource temperatures
  - Outperform standard cycles on market
- Next phases:
  - Economic analysis & comparison
  - Pilot ORC



# Thank you.



